

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	"6402616"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:31
S2	2	"6347997".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:32
S3	2	"6402616".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:32
S4	2	"6422943".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:33
S5	3	"6302790".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:33
S6	2	"6322448".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:34
S7	0	EP0922431	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:49
S8	1	"0922431"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:49
S9	42958	amano	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:50

S10	1	"00922431"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:50
S11	5885483	EP "0922431"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:51
S12	14506	amano and control\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:51
S13	4268	amano and control\$4 same pres\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:52
S14	782	amano and control\$4 same pres\$6 same sens \$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:52
S15	256	amano and control\$4 same pres\$6 same sens \$4 and user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:52
S16	143	amano and control\$4 same pres\$6 same sens \$4 and user and maximum	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:53
S17	12	amano and control\$4 same pres\$6 same sens \$4 and user and maximum same strength	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:53
S18	2	"4837698".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:55
S19	3186	amano and japan	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:56

S20	0	amano and japan and hitachi same limited	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:56
S21	100	amano and japan and hitachi same ltd	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:57
S22	52	amano and japan and hitachi same ltd and tokyo	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 21:57
S23	3	amano and japan and hitachi same ltd and tokyo and touch\$4 same sens\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:02
S24	81	amano and touch\$4 same sens\$4 same device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:09
S25	0	amano and touch\$4 same sens\$4 same device and "0922431"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:13
S26	137384	pressure same sens\$6 same device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:25
S27	107074	pressure same sens\$6 same device and control \$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:25
S28	33660	pressure same sens\$6 same device and control \$4 and computer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:25
S29	11158	pressure same sens\$6 same device and control \$4 and computer same software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:26

S30	73	pressure same sens\$6 same device and control \$4 and computer same software same push\$4 same pressure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:26
S31	69	pressure same sens\$6 same device and control \$4 and computer same software same push\$4 same pressure and user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:26
S32	4503	pressure same sens\$6 same device and control \$4 and push\$4 same pressure and user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:27
S33	552	pressure same sens\$6 same device and control \$4 and push\$4 same pressure and user and maximum same stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:28
S34	155	pressure same sens\$6 same device and control \$4 and push\$4 same pressure and user and maximum same value same stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:28
S35	102	pressure same sens\$6 same device same control\$4 and push\$4 same pressure and user and maximum same value same stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:30
S36	10	pressure same sens\$6 same device same control\$4 and push\$4 same pressure and user and maximum same value same stor\$4 and maximum same strength	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:31
S37	42	pressure same sens\$6 same device same control\$4 and user and maximum same value same stor\$4 and maximum same strength	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:31

S38	0	pressure same sens\$6 same device same control\$4 and user and maximum same value same stor\$4 and maximum same strength	EPO	OR	OFF	2009/03/17 22:32
S39	1897	pressure same sens\$6 same device same control\$4	EPO	OR	OFF	2009/03/17 22:32
S40	64	pressure same sens\$6 same device same control\$4 and user	EPO	OR	OFF	2009/03/17 22:33
S41	0	"0922431"	EPO	OR	OFF	2009/03/17 22:34
S42	0	"000922431"	EPO	OR	OFF	2009/03/17 22:35
S43	0	EP000922431	EPO	OR	OFF	2009/03/17 22:36
S44	1	EP001783284A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:38
S45	1	EP000922431A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 22:39
S46	13	pressure same sens\$6 same device same control\$4 and user and maximum same value same stor\$4 and maximum same strength same software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:01
S47	34	pressure same sens\$6 same device same control\$4 and user and maximum same value same stor\$4 and maximum same strength and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:02
S48	1	pressure same sens\$6 same device same control\$4 and "345"/\$. ccls. and user and maximum same value same stor\$4 and maximum same strength and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:17

S49	8	pressure same sens\$6 same device same control\$4 and "345"/\$.ccls. and user and maximum same value same stor\$4 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:18
S50	18	pressure same sens\$6 same control\$4 and "345"/\$.ccls. and user and maximum same value same stor\$4 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:18
S51	3	pressure same sens\$6 same control\$4 and "345"/\$.ccls. and user and maximum same pressure same value same stor\$4 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:22
S52	3	pressure same sens\$6 same control\$4 and "345"/\$.ccls. and user and maximum same pressure same value same stor\$4 and software and table\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:28
S53	1	pressure same sens\$6 and control\$4 and "345"/\$.ccls. and user and maximum same pressure same value same stor\$4 same table \$1 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:29
S54	1	pressure same sens\$6 and control\$4 and "345"/\$.ccls. and user and maximum same pressure same value same stor\$4 and updat\$ \$ and generat\$4 same table\$1 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:39
S55	4	pressure same sens\$6 and control\$4 and user and maximum same strength same pressure same value same stor\$4 and updat\$\$ and generat\$4 same table\$1 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:45

S56	4	pressure same sens\$6 and control\$4 and user and maximum same strength same pressure same value and stor\$4 and updat\$5 and generat\$4 same table\$1 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:46
S57	21	"922431"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 15:52
S58	92	pressure same sens\$6 and control\$4 and user and maximum same pressure same value and stor\$4 and updat\$4 same table\$1 and software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 16:35
S59	4	pressure same sens\$6 and control\$4 and user and maximum same pressure same value and stor\$4 and updat\$4 same table\$1 and software and "345"/\$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 16:36
S60	11	"6,400,353"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:11
S61	2	"6,400,353".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:11
S62	0	"6347997".pn. and table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:15
S63	1	"6402616".pn. and table \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:19
S64	438	pressure\$1 same sens \$7 and maximum same strength same pressure \$1 same table\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:22

S65	1	pressure\$1 same sens \$7 and maximum same strength same pressure \$1 same table\$1 same update\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:22
S66	0	pressure\$1 same sens \$7 and maximum same strength same pressure \$1 same record\$4 and table\$1 same update\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:23
S67	100	pressure\$1 same sens \$7 and maximum same strength same pressure \$1 and record\$4 and table\$1 same update\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:24
S68	0	pressure\$1 same sens \$7 and maximum adj strength same pressure \$1 and record\$4 and table\$1 same update\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:24
S69	0	pressure\$1 same sens \$7 and maximum same strength adj pressure\$1 and record\$4 and table \$1 same update\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:24
S70	2	pressure\$1 adj sens\$7 and maximum same strength same pressure \$1 and record\$4 and table\$1 same update\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:25
S71	2	pressure\$1 same sens \$7 and maximum same strength same pressure \$1 and record\$4 and table\$1 same update\$4 and "345"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:25
S72	2	pressure\$1 same sens \$7 and maximum same strength same pressure \$1 and record\$4 and table\$1 same update\$4 and ("463"/\$.ccls or "345"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:26
S73	3	pressure\$1 same sens \$7 and maximum same strength same pressure \$1 and record\$4 and table\$1 same update\$4 and ("463"/\$.ccls. or "345"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:26

S74	2	maximum same game same pressure\$1 same sens\$7 and record\$4 same update\$4 and ("463"/\$.ccls. or "345"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:35
S75	13	maximum same game same pressure\$1 same sens\$7 and record\$4 and update\$4 and ("463"/\$.ccls. or "345"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/25 17:36
S77	2	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:24
S78	0	"6402616" and input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:24
S79	0	"6347997".pn. and input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:24
S80	0	"6402616".pn. and input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:24

S81	0	"6422943".pn. and input \$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:24
S82	0	"6302790".pn. and input \$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:24
S83	0	"6302448".pn. and input \$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:25
S84	0	"0922431" and input\$4 and pressur\$4 adj sens \$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct \$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:25
S85	0	"4837698".pn. and input \$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:25
S86	0	EP001783284A1 and input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat \$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:25

S87	0	EP000922431A1 and input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:25
S88	39	Komata same Nobuhiro	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:27
S89	23	Komata same Nobuhiro and input\$4 adj device \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:27
S90	19	Komata same Nobuhiro and input\$4 adj device \$1 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:27
S91	2	Komata same Nobuhiro and input\$4 adj device \$1 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:28
S92	109555	"345"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:29
S93	22497	"345"/\$.ccls. and input \$4 adj device\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:29
S94	14	"345"/\$.ccls. and input \$4 adj device\$1 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor \$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:29

S95	1	"345"/\$.ccls. and input \$4 adj device\$1 and pressur\$4 adj sens\$6 same maximum adj valu \$4 same user and stor \$4 and table\$1 adj generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:30
-----	---	--	---	----	-----	------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S76	3	maximum same game same pressure\$1 same sens\$7 and record\$4 and update\$4 and ("463"/\$.ccls. or "345"/\$.ccls.)	USPAT; UPAD	OR	OFF	2009/07/25 17:57
S96	1	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat \$4 and correct\$4 same value\$1 and game\$1 adj program\$5	USPAT; UPAD	OR	OFF	2009/12/05 18:25
S97	1	Komata same Nobuhiro and input\$4 adj device \$1 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4	USPAT; UPAD	OR	OFF	2009/12/05 18:28
S98	1	"345"/\$.ccls. and input \$4 adj device\$1 and pressur\$4 adj sens\$6 same maximum adj valu \$4 same user and stor\$4 and table\$1 adj generat \$4	USPAT; UPAD	OR	OFF	2009/12/05 18:30

12/ 6/ 2009 11:33:34 AM**C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\09758033 03-17-2009.wsp**